



PART NUMBERING KEY:

SHO-12WS-XXX-YYY-Q-Z

SHO: SHOGYO

12WS: 12 Watt Series with Curved Case

XXX: Indicates Output Voltage. Available from 3.0VDC – 24.0VDC (030 – 240)

YYY: Indicates Output Current. Available from 0.01A – 3.00A (001 – 300)

*Voltage multiplied by Current must equal a number no greater than the Wattage (12).


Q: Indicates Type of Input Prongs (1=United States, 2=European, 3=United Kingdom, 4=Australian)

Z: Indicates Type of Output Plug (2.5 x 5.5mm DC Plug, Strip & Tin, etc.)

EXAMPLE: 12V, 1.0A Power Supply with U.S. Input Prongs and a 2.1 x 5.5mm DC Plug = **SHO-12WS-120-100-1-2.1 x 5.5mm DC Plug**

- **SPECIAL OPTIONS AND CUSTOM DESIGNS AVAILABLE (PLEASE CONTACT SHOGYO DIRECTLY AT INFO@SHOGYO.COM)**
- **CONTACT SHOGYO DIRECTLY FOR COMPLETE SPECIFICATIONS**





					UNIT	mm	
		銘板改為鑄離	2014.12.8		SCALE		ISSUED DATE 20/JUN/12
		新發文圖面			DRAWN BY	Z.H	CHECKED BY DOOM.XIE
7	REV	ZONE	DESCRIPTION	DATE	ECA NO.	DESIGNED BY TENG XU	APPROVED BY ZQ.WANG

SHIGYO


ITEM NO. :

DRAWING NO.


MU12-S1120-AT1S

SHEET

1 OF 1



					UNIT	mm	
		取消熱印 銘板改鐳雕	2014.12.8		SCALE		ISSUED DATE 8/DEC/14
		新出圖面			DRAWN BY BECK ZOU		CHECKED BY DOOM.XIE
7	REV	ZONE	DESCRIPTION	DATE	ECA NO.	DESIGNED BY QIAN.YE	APPROVED BY ZQ.WANG



					UNIT	mm	
		取消熱印 銘板改鑄離	2014.12.8		SCALE		ISSUED DATE 8/DEC/14
		新出藍圖			DRAWN BY BECK ZOU		CHECKED BY DOOM.XIE
REV.	ZONE	DESCRIPTION	DATE	ECA NO.	DESIGNED BY QIAN YE		APPROVED BY ZQ.WANG