



PART NUMBERING KEY:

SHO-18WI-XXX-YYY-Z

SHO: SHOGYO

18WI: 18 Watt Series with Interchangeable Input Blades (includes USA, Euro, U.K, AUS)

XXX: Indicates Output Voltage. Available from 5.0VDC – 48.0VDC (050 – 480)

YYY: Indicates Output Current. Available from 0.01A – 3.00A (001 – 300)


*Voltage multiplied by Current must equal a number no greater than the Wattage (18).

Z: Indicates Type of Output Plug (2.5 x 5.5mm DC Plug, Strip & Tin, etc.)


EXAMPLE: 15V, 1A Power Supply with U.S. Input Prongs and a 2.1 x 5.5mm DC Plug = **SHO-18WI-150-100-2.1 x 5.5mm DC Plug**



- **SPECIAL OPTIONS AND CUSTOM DESIGNS AVAILABLE (PLEASE CONTACT SHOGYO DIRECTLY AT INFO@SHOGYO.COM)**
- **CONTACT SHOGYO DIRECTLY FOR COMPLETE SPECIFICATIONS**





					UNIT	mm	
					SCALE		ISSUED DATE 16/DEC/14
	新出圖面				DRAWN BY BECK.ZOU	CHECKED BY DOOM.XIE	
REV.	ZONE	DESCRIPTION	DATE	ECN NO.	DESIGNED BY LC WU	APPROVED BY ZQ.WANG	
			ITEM NO. :		DRAWING NO.	SHEET	
			OUTLINE DRAWING		IU18-21120-01ES	1 OF 1	



				UNIT	<i>mm</i>	
				SCALE		ISSUED DATE 16/DEC/14
7		新發文圖面		DRAWN BY BECK ZOU		CHECKED BY DOOM.XIE
	REV.	DATE	DESCRIPTION	ECN NO.	DESIGNED BY XIA FENG	APPROVED BY ZQ.WANG
SHOGYO		ITEM NO. :		DRAWING NO.		SHEET
		OUTLINE DRAWING		IU18-21120-01ES		2 OF 2
	A	B	C	D	E	